



**STATE OF ARKANSAS**  
**OFFICE OF STATE PROCUREMENT**  
 1509 West 7th Street, Room 300  
 Little Rock, Arkansas 72201-4222

## **ADDENDUM 1**

TO: Vendors Addressed  
 FROM: Judy Shirley, Buyer  
 DATE: March 20, 2020  
 SUBJECT: SP-20-0061 Mobile Sobriety Checkpoint/Breath Alcohol Testing Vehicle (BAT Vehicle)

---

The following change(s) to the above-referenced IFB have been made as designated below:

- ☒ Change of specification(s)
- ☒ Additional specification(s)
- ☐ Change of bid opening time and date
- ☐ Cancellation of bid
- ☐ Other

### **BID OPENING DATE AND TIME**

- Bid opening date and time shall remain unchanged.

### **ADDITIONAL SPECIFICATIONS**

- **Add the following to Section 2.8 BAT VEHICLE SPECIFICATIONS:**
  - 2.8.B.2. The interior height is based on the current BAT Vehicle 78" interior height and 131" exterior, (with AC unit height). The body curb height at 139" is acceptable and a manufacturer chassis of size to provide the needed engine power, drive train, suspension, and frame size is acceptable to insure proper engineering of safe and functional operation of this vehicle.
  - 2.8.B.3. The exterior width **must** not exceed 100" and **must** be a minimum of 96". The interior width **must** be a minimum of 90".
  - 2.8.D. The custom storage rack will be at the front of the cab above the windshield. Should the manufacturer already have a custom storage rack as part of standard equipment a custom storage rack may not need to be installed.
  - 2.8.I. The exhaust pipe **must** be installed in a location as to not create heat that could damage electrical switches.

**CHANGE OF SPECIFICATIONS**

- **Delete Section 2.6 A. and replace with the following:**

A. The BAT Vehicle chassis should be a manufacturer and/or authorized dealer model and size to provide the needed engine power, drive train, suspension, and frame size, for a vehicle of this size and function and **must** include all of the following components or component equivalents approved by BRTC BAT Program Coordinator and/or the AHSO:

1. **Must** be a new untitled Class 7 rated dealer authorized chassis
2. Minimum 26,000 GVWR
  - a. The vehicle weight range should not exceed a Class 7 rating 26,000-33,000 pounds or 11,794-14,969 kilograms.
3. New minimum 300 horsepower Cummins turbo diesel authorized dealer installed
4. New Allison transmission authorized dealer installed

- **Delete Section 2.8.B.1. and replace with the following:**

2.8. B.1. The testing compartment module maximum dimension **must** not exceed 330" L x 100" W x 86" H.

- **Delete Section 2.9 C. and replace with the following:**

C. The BAT Vehicle overall height at curb weight should not exceed 13" excluding roof mounted equipment and two-way radio antenna(s).

- **Delete the reference to "per the drawing/design" and/or "per drawing/design" from Section 2.14, 2.16, 2.19, and 2.24 of the IFB.**

- **Delete the following in Section 2.16 and replace with the following:**

- 2.16.A. The testing compartment module maximum dimension **must** not exceed 330" L x 100" W x 86" H.
- 2.16.J. On the left end of the seated workstation **must** be a separating interior wall that is the width of the DUI Testing Unit Compartment which **must** be a minimum of 90" width. It **must** include a 30" sliding pocket door for the Drug Recognition Evaluation area.
- 2.16.N. Inside the separating wall **must** be a restroom with a minimum 30" width sliding pocket door that runs the entire minimum of 90" width rear wall of the compartment with the toilet in the curbside corner of the DUI Testing Unit Compartment.
- 2.16.R. To the right of the storage closet there **must** be a separating interior wall that runs the entire minimum of 90" width of the DUI Testing Unit Compartment with a minimum 30" width sliding pocket door for the Drug Recognition Evaluation area.
- 2.16.V. To the right of the interior storage closet there **must** be an open area measuring a minimum of 70" L x 96" W x 78" H, for officers to demonstrate "Walk and Turn" for administration of Standardized Field Sobriety Tests.

The specifications by virtue of this addendum become a permanent addition to the above referenced IFB. Failure to return this signed addendum may result in rejection of your bid.

If you have any questions, please contact Judy Shirley at [judy.shirley@dfa.arkansas.gov](mailto:judy.shirley@dfa.arkansas.gov) or (501) 324-9314.

Company: \_\_\_\_\_

Signature: \_\_\_\_\_

Date: \_\_\_\_\_